# ON-SITE WASTEWATER SYSTEM TECHNICAL REVIEW BOARD MEETING

Planning and Development Center Planning Conference Room, #170 4700 Elmore Road Anchorage, Alaska

> October 12, 2016 11:37 a.m.

## **Technical Review Board members Present:**

Name
Joel Neimeyer
Eric Hanssen
Donna Mears
Mark Swenson
Kyle Brown

# Also in attendance

Name	Representing
Deb Wockenfuss	MOA/Development Services Department (DSD)
Rebecca Carroll	MOA/DSD
Ross Noffsinger	MOA/DSD
Bill Rieth	Alaska Department of Environmental Conservation (ADEC)
Tom Varney	Anchorage Tank & Welding Inc.
Jay Crewdson	
Ron Godden	Theta E&E
Steve Pannone	Pannone Engineering
Jeff Garness	Garness Engineering

## 1. CALL TO ORDER

CHAIR NEIMEYER called the meeting to order at 11:37 a.m. A quorum was established.

# 2. APPROVAL OF AGENDA

CHAIR NEIMEYER asked if there were any changes to the agenda. Hearing none the agenda was approved.

# **3. APPROVAL OF MINUTES** June 7, 2016

Ms. Mears moved to approve and Mr. Brown seconded. Unanimously Approved.

## 4. STAFF/COMMITTEE REPORTS

#### a. New Staff Introductions

The Board, Staff and other participants introduced themselves.

## b. 2015 Audit

Staff informed the board that internal audit performed a sunset audit to determine if the technical review board should be reauthorized. The audit included a review of meeting minutes, resolutions and agendas, and member authorization and participation. Internal audit determined the On-Site Water and Wastewater Technical Review Board should be reauthorized.

## 5. OLD BUSINESS

# a. AMC Chapter 15.65 Wastewater Disposal

Beginning at Part III, Advanced Wastewater Treatment Systems (AWWTS) on page 47 of the proposed code, the Board continued reviewing proposed changes. Mr. Swanson left at 1:04 p.m. They did not have enough time to finish and stopped their review just before AMC 15.65.308, Category III Wastewater Treatment Standards.

# 6. NEW BUSINESS\INFORMATIONAL

The next meeting dates were discussed and it was agreed a Doodle poll would be sent out.

#### 7. ADJOURNMENT

Meeting was adjourned at 1:17 p.m.