

FEDERAL EMERGENCY NATIONAL FLOOD

ATTENTION: Use of this certificate does not provide a waiver provide elevation information necessary to ensure compliance determine the proper insurance premium rate, and/or to supply instructions for completing the

Post-It brand fax transmittal memo 7871 # of pages 1 To: Jim Armstrong From: Chris John Johnson Co. Phone # 264-8259 Fax # 561-4315

SECTION A PROPERTY INFO

BUILDING OWNER'S NAME COLLEEN MOENING STREET ADDRESS 3200 BROOKSIDE FIELD CRUISE CITY ANCHORAGE STATE AK ZIP CODE 99517

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See instructions):

Table with 6 columns: 1. COMMUNITY NUMBER (020003), 2. PANEL NUMBER (0230), 3. SUFFIX (B), 4. DATE OF FIRM ISSUE (09-18-87), 5. FIRM ZONE (A2), 6. BASE FLOOD ELEVATION (42.50)

- 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): [ ] NGVD '29 [X] Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: N/A feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

- 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 4 and 5 that best describes the subject building's reference level: 2. 2(c), FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 52.4 feet NGVD (or other FIRM datum-see Section B, Item 7). 3. (d), FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of feet NGVD (or other FIRM datum-see Section B, Item 7). (c) FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. (d), FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. 2. Indicate the elevation datum system used in determining the above reference level elevations: [ ] NGVD '29 [X] Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) 4. Elevation reference mark used appears on FIRM: [X] Yes [ ] No (See instructions on Page 4) 5. The reference level elevation is based on: [X] actual construction [ ] construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place. In which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 6. The elevation of the lowest grade immediately adjacent to the building is: 52.4 feet NGVD (or other FIRM datum-see Section B, Item 7).


SECTION D COMMUNITY INFORMATION

- 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: N/A feet NGVD (or other FIRM datum-see Section B, Item 7). 2. Date of the start of construction or substantial improvement: N/A

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A20, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign if a signature. In the case of Zones AQ and A (without a FEMA or community issued BFE), a building official, a property owner, or an agent representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features--If the certifier is unable to certify to breakaway/non-breakaway wall, exposure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data and I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.



Fred Walatka 32555  
 CERTIFIER'S NAME LICENSE NUMBER (if Applicable)  
Owner Fred Walatka & Assoc.  
 TITLE COMPANY NAME  
3107 W. 29th Ave Anchorage, AK 99517  
 ADDRESS CITY STATE  
Fred Walatka 8-19-92 248-1666  
 SIGNATURE DATE PHONE

Copies should be made of this Certificate for 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: BASIS OF ELEV. IS MOA BENCHMARK  
TNH 19 = 88.05 FT

