## O.M.B. No 3067-0077 Expires May 31, 1993

## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME FRED MEYER OF ALASKA, INC.					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg, Number) OR P.O. ROUTE AND BOX NUMBER 7701 DeBarr Road					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and	Block Numbers, etc.) Tract A-1, KT	Square Sub	division		
CITY	Anchorage			STATE A	laska zip code 9950
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
rovide the following from t	he proper FIRM (See	Instructions);		<del></del>	
1. COMMUNITY NUMBER 020005	2. PANEL NUMBER 0235	3. SUFFIX	4. DATE OF FIRM INDEX I March 5, 1990	5. FIRM ZONE A	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
s. For Zones A or V, where	no BFE is provided o	n the FIRM, an	ase Flood Elevations (BFE ad the community has est FIRM datum-see Section	ablished a RFF fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION	
the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in account and at under Comments on Pag	is at an elevation of L BFE). The floor used the highest grade ad floor used as the refer adjacent to the building rdance with the community um system used in de e 2). (NOTE: If the e	as the reference level from any of the billion of t	feet NGVD (or other FIR note level from the selected uilding.  In the selected diagram is depth number is available ain management ordinance above reference level elemented in measuring the elemented level of the selected level elemented in measuring the elemented level elemented elemented level elemented elemente	M datum—see Sed diagram is feet able, is the building's ce? Yes vations: NGV	deet above or  ove or below (check s lowest floor (reference No Unknown D '29 X Other (describe
the FIRM [see Section I equation under Commen	ts on Page 2.)				and show the conversion
Elevation reference mark The reference level eleva (NOTE: Use of construc- case this certificate will or will be required once cons	ition is based on: X tion drawings is only wally be valid for the built	actual construitable actual construitation actual construit actual actua	ction  aconstruction dr	awings Preference level t	loor in place, in which on Elevation Certificate
The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	building is: 1   2   4   6	.└─ feet NGVD (i	or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIC	N N	
. If the community official r is not the "lowest floor" as floor" as defined by the o . Date of the start of constr	s defined in the commodinance is: $\frac{1}{24}$	unity's floodpla	ain management ordinand GVD (or other FIRM datu	e, the elevation o	dicated in Section C, Item 1 of the building's "lowest , Item 7).

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

STANLEY E. PONSNESS


6714~S

CERTIFIER'S NAME SURVEY CHIEF	LICENSE NUMBER (or Affix Seal) DOWL ENGINEERS		
TITLE 4040 "B" Street	COMPANY NAME ANCHORAGE	AK 99503	
Marley & Pongras	CITY MAY 6, 1994	STATE ZIF (907) 562-2000	
SIGNATURE	DATE	PHONE	

Elevation datum used on the FIRM is Greater Anchorage Area Borough, U.S.G.S.

1972 mean sea level.

Elevation datum used to determine reference elevations is RM 22 as shown on the FIRM.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.